Reviewed on 03/04/2024 Printing date 03/04/2024

### 1 Identification

- · Product identifier
- · Trade name: 3X Industrial Fragrance
- Part numbers: 34-7625A, 34-7625RB, 60-0950/5, 60-5200, 90-0926, 90-0926RB, 90-0926/4. 90-0928/4, 90-0950/5, 90-0953, 90-0953/5, 90-2200, 90-5150, 90-5200, 90-5600
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Vaportek, Inc.

W226N6339 Village Drive Sussex, Wisconsin 53089 USA 800.237.6367

· Information department: Regulatory Department

Emergency telephone number:

Hours of operation: 7:00 AM - 4:00 PM Mon-Fri. (CST)

Domestic North America (262) 246-5060

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child. H304 May be fatal if swallowed and enters airways. Aspiration Hazard 1



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02

GHS05

GHS07

(Contd. on page 2)

Printing date 03/04/2024 Reviewed on 03/04/2024

Trade name: 3X Industrial Fragrance

(Contd. of page 1)

### · Signal word Danger

#### · Hazard-determining components of labeling:

methyl salicylate

CITRONELLA OIL

CLOVE OIL

MUSK KETONE

CINNAMIC ALDEHYDE

**ANETHOLE** 

L-ALPHA PINENE

ORANGE OIL

EUCALYPTUS OIL

TEA TREE OIL

**COUMARIN** 

CITRAL

LAEVO CARVONE

ALDEHYDE C-12 LAURIC

dipentene

LINALOOL

#### · Hazard statements

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

May be fatal if swallowed and enters airways.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

*Ground/bond container and receiving equipment.* 

*Use explosion-proof electrical/ventilating/lighting/equipment.* 

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 03/04/2024 Reviewed on 03/04/2024

Trade name: 3X Industrial Fragrance

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3 Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous (	components:	
119-36-8	methyl salicylate	>10-≤25%
	Toxic to Reproduction 2, H361; Acute Toxicity - Oral 4, H302; Sensitization - Skin 1B, H317	
98-55-5	TERPINEOL ALPHA	>10-≤25%
	♦ Skin Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227	
104-55-2	CINNAMIC ALDEHYDE	>2.5-<10%
	Acute Toxicity - Dermal 3, H311;  Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	
123-92-2	AMYL ACETATE	>2.5-≤10%
	♦ Flammable Liquids 3, H226	
8000-34-8	CLOVE OIL	>2.5-<10%
	♦ Aspiration Hazard 1, H304; ♦ Eye Irritation 2A, H319; Sensitization - Skin 1, H317	
125-12-2	ISOBORNYL ACETATE	>2.5-≤10%
	Flammable Liquids 4, H227	_
4180-23-8	ANETHOLE	>2.5-≤10%
	♦ Sensitization - Skin 1, H317	
7785-26-4	L-ALPHA PINENE	>2.5-<10%
	♦ Flammable Liquids 3, H226; ♦ Aspiration Hazard 1, H304; ♦ Skin Irritation 2, H315; Sensitization - Skin 1, H317	
8008-57-9	ORANGE OIL	>2.5-<10%
	♦ Flammable Liquids 3, H226; ♦ Aspiration Hazard 1, H304; ♦ Skin Irritation 2, H315; Sensitization - Skin 1, H317	
78-70-6	LINALOOL	>2.5-≤10%
	♦ Sensitization - Skin 1B, H317; Flammable Liquids 4, H227	
140-11-4	BENZYL ACETATE	≤2.5%
8000-29-1	CITRONELLA OIL	≥1-≤2.5%
	♦ Aspiration Hazard 1, H304; ♦ Eye Damage 1, H318; ♦ Skin Irritation 2, H315; Sensitization - Skin 1, H317; Flammable Liquids 4, H227	

Printing date 03/04/2024 Reviewed on 03/04/2024

Trade name: 3X Industrial Fragrance

8000-48-4	EUCALYPTUS OIL	≥1-≤2.5%
	♠ Flammable Liquids 3, H226; ♦ Aspiration Hazard 1, H304; ♠ Skin Irritation 2, H315; Sensitization - Skin 1, H317	
68647-73-4	TEA TREE OIL	≥1-≤2.5%
	♠ Flammable Liquids 3, H226; ♦ Aspiration Hazard 1, H304; ♠ Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	
68990-83-0	CEDARWOOD OIL TEXAS	≤2.5%
	♦ Aspiration Hazard 1, H304	
91-64-5	COUMARIN	≥1-≤2.5%
	Acute Toxicity - Oral 3, H301; 🕚 Sensitization - Skin 1, H317	
5392-40-5	CITRAL	≥1-≤2.5%
	🔥 Skin Irritation 2, H315; Sensitization - Skin 1, H317	
6485-40-1	LAEVO CARVONE	≥1-≤2.5%
	• Acute Toxicity - Oral 4, H302; Sensitization - Skin 1, H317; Flammable Liquids 4, H227	
89-83-8	THYMOL CRYSTALS	≥1-≤2.5%
	🔷 Skin Corrosion 1B, H314; 🕦 Acute Toxicity - Oral 4, H302	
8014-09-3	PATCHOULY OIL	≤2.5%
	♦ Aspiration Hazard 1, H304	
112-54-9	ALDEHYDE C-12 LAURIC	≥0.1-<19
	♦ Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	
138-86-3	dipentene	≥0.1-<19
	Flammable Liquids 3, H226;  Skin Irritation 2, H315; Sensitization - Skin 1, H317	
81-14-1	MUSK KETONE	≥0.1-≤2.5
	& Carcinogenicity 2, H351	

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet

(Contd. on page 5)

Printing date 03/04/2024 Reviewed on 03/04/2024

Trade name: 3X Industrial Fragrance

(Contd. of page 4)

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

*Use neutralizing agent.* 

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
119-36-8	methyl salicylate	2.3 ppm
123-92-2	AMYL ACETATE	100 ppm
140-11-4	BENZYL ACETATE	30 ppm
91-64-5	COUMARIN	$0.88 \text{ mg/m}^3$
89-83-8	THYMOL CRYSTALS	2.9 mg/m³
· PAC-2:		
119-36-8	methyl salicylate	25 ppm
123-92-2	AMYL ACETATE	500 ppm
140-11-4	BENZYL ACETATE	330 ppm
91-64-5	COUMARIN	$9.7 \text{ mg/m}^3$
89-83-8	THYMOL CRYSTALS	$32 \text{ mg/m}^3$
· PAC-3:		
119-36-8	methyl salicylate	150 ppm
123-92-2	AMYL ACETATE	3000* ppm
140-11-4	BENZYL ACETATE	2,000 ppm
91-64-5	COUMARIN	58 mg/m³
89-83-8	THYMOL CRYSTALS	$190 \text{ mg/m}^3$

### 7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 6)

Printing date 03/04/2024 Reviewed on 03/04/2024

Trade name: 3X Industrial Fragrance

(Contd. of page 5)

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Store in a tightly sealed containers in a cool, dry place that is well ventilated. Away from heat, spark, and open flame.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

123-9	2-2 AMYL ACETATE
PEL	Long-term value: 525 mg/m³, 100 ppm
REL	Long-term value: 525 mg/m³, 100 ppm
TLV	Short-term value: 100 ppm Long-term value: 50 ppm
140-1	1-4 BENZYL ACETATE
TLV	Long-term value: 10 ppm A4
5392-	40-5 CITRAL
TLV	Long-term value: 5* ppm Skin; DSEN; *inh. fraction + vapor, A4
138-8	6-3 dipentene
WEEI	L Long-term value: 30 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 7)

(Contd. of page 6)

## Safety Data Sheet acc. to OSHA HCS

Printing date 03/04/2024 Reviewed on 03/04/2024

Trade name: 3X Industrial Fragrance

### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical an	dchom	ical nra	novilos
I II you car are	u chem	icui pro	permes

· Information on	hasic	nhysical	and a	chemical	nronerties
Injoinumon on		DHVSiCui	unu		DIODELUES

· General Information

Appearance:

Form: Liquid

Color: Clear yellow to dark orange

Odor: CharacteristicOdor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.

• Flash point: 60 °C (140 °F)

· Flammability (solid, gaseous): Flammable.

• Auto igniting: 450 °C (842 °F)

· **Decomposition temperature:** Not determined.

• Ignition temperature: Product is not selfigniting.

Danger of explosion: Not determined.

Explosion limits:

Lower: Not determined.
Upper: Not determined.

• Vapor pressure at 20 °C (68 °F): 0.1 hPa

Density at 20 °C (68 °F): 0.96996 g/cm³ (8.09432 lbs/gal)

(Contd. on page 8)

Printing date 03/04/2024 Reviewed on 03/04/2024

Trade name: 3X Industrial Fragrance

		(Contd. of page
· Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/w	ater): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	8.6 %	
VOC content:	8.62 %	
	83.6 g/l / 0.70 lb/gal	
Solids content:	10.5 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant	for	classi	fication:
------------------------------------	-----	--------	-----------

ATE (Acute Toxicity Estimate)

Dermal LD50 3,001 mg/kg

#### 125-12-2 ISOBORNYL ACETATE

Dermal LD50 20,000 mg/kg (rabbit)

*78-70-6 LINALOOL* 

Dermal LD50 5,610 mg/kg (rabbit)

#### 140-11-4 BENZYL ACETATE

Dermal LD50 >5,000 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- $\cdot \textbf{\textit{Sensitization:}} \ Sensitization \ possible \ through \ skin \ contact.$
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 9)

\_\_\_\_\_I

Printing date 03/04/2024 Reviewed on 03/04/2024

Trade name: 3X Industrial Fragrance

(Contd. of page 8)

Irritant

· Carcinogenic categories

· IARC (In	ternational Agency for Research on Cancer)	
140-11-4	BENZYL ACETATE	3
91-64-5	COUMARIN	3
123-35-3	MYRCENE	2B
. NTD (Na	NTD (National Toxicalory Duoguam)	

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

1 / 7	, ·	C.	. •
14 Trans	nort in	tormai	ากท
IT IIUUS		<u> Ul III III III II II II II II II II II II</u>	uvu

· UN-Number	
· DOT	not regulated
· IMDG, IATA	UN1266
IIN nuonau ahinnina nama	

· UN proper shipping name

· **DOT** not regulated

· IMDG PERFUMERY PRODUCTS, MARINE POLLUTANT

(Contd. on page 10)

Printing date 03/04/2024 Reviewed on 03/04/2024

Trade name: 3X Industrial Fragrance

	(Contd. of pag
IATA	PERFUMERY PRODUCTS
Transport hazard class(es)	
DOT	
Class	not regulated
IMDG	
Class	3 Flammable liquids
Label	3
IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT	not regulated
IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substances: ALPH
Marine pollutant:	PINENE Yes (DOT)
танне рошины.	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
Special precautions for user Hazard identification number (Kemler code)	
EMS Number:	F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1266 PERFUMERY PRODUCTS, 3, II ENVIRONMENTALLY HAZARDOUS

US

Printing date 03/04/2024 Reviewed on 03/04/2024

Trade name: 3X Industrial Fragrance

(Contd. of page 10)

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act): All substances are active or exempt.
- · Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

123-35-3 MYRCENE

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

140-11-4 BENZYL ACETATE

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

*None of the ingredients is listed.* 

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02 GHS05

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

methyl salicylate CITRONELLA OIL CLOVE OIL MUSK KETONE

CINNAMIC ALDEHYDE

**ANETHOLE** 

L-ALPHA PINENE

ORANGE OIL

EUCALYPTUS OIL

TEA TREE OIL

(Contd. on page 12)

Printing date 03/04/2024 Reviewed on 03/04/2024

Trade name: 3X Industrial Fragrance

(Contd. of page 11)

COUMARIN
CITRAL
LAEVO CARVONE
ALDEHYDE C-12 LAURIC
dipentene
LINALOOL

#### · Hazard statements

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

May be fatal if swallowed and enters airways.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

*If swallowed: Immediately call a poison center/doctor.* 

Specific treatment (see on this label).

Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

*IF exposed or concerned: Get medical advice/attention.* 

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Regulatory Department
- · Date of preparation / last revision 03/04/2024
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 13)

Printing date 03/04/2024 Reviewed on 03/04/2024

### Trade name: 3X Industrial Fragrance

(Contd. of page 12)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

HMIS: Hazardous Materials Identification System (US

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 3: Flammable liquids – Category 3

Flammable Liquids 4: Flammable liquids - Category 4

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Acute Toxicity - Dermal 3: Acute toxicity - Category 3

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1

Sensitization - Skin 1B: Skin sensitisation - Category 1B

Carcinogenicity 2: Carcinogenicity – Category 2

Toxic to Reproduction 2: Reproductive toxicity – Category 2

Aspiration Hazard 1: Aspiration hazard - Category 1

\* \* Data compared to the previous version altered.

HS