

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

## 1 Identification

· **Product identifier**

· **Trade name:** 3X Industrial Fragrance

· **Part number:** 90-2200, 90-5150, 90-5200, 90-5600, 90-0953, 90-0953/5, 90-0950/5, 90-0926, 90-0926RB, 90-0926/4, 90-0928/4, 34-7625, 34-7625RB, 34-3600, 90-3600, 60-0950/5, 60-5200

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Vaportek, Inc.  
W226N6339 Village Drive  
Sussex, Wisconsin 53089  
USA  
800.237.6367

· **Information department:** Regulatory department

· **Emergency telephone number:**

During normal opening times: Call Chemtrec Day or Night  
Domestic North America 800.424.9300/International 703.527.3887 (Collect calls accepted)

## 2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

**Trade name: 3X Industrial Fragrance**

(Contd. of page 1)

· **Label elements**

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS05 GHS07 GHS08

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

METHYL SALICYLATE  
 CINNAMIC ALDEHYDE  
 CITRONELLA OIL  
 CLOVE LEAF OIL  
 ORANGE OIL  
 ANETHOLE  
 ALPHA-PINENE  
 OIL EUCALYPTUS 80/85  
 COUMARIN  
 LAEVO CARVONE

· **Hazard statements**

*Flammable liquid and vapor.*  
*Harmful if swallowed.*  
*Causes skin irritation.*  
*Causes serious eye damage.*  
*May cause an allergic skin reaction.*  
*Suspected of causing cancer.*  
*May be fatal if swallowed and enters airways.*

· **Precautionary statements**

*Obtain special instructions before use.*  
*Do not handle until all safety precautions have been read and understood.*  
*Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*  
*Keep container tightly closed.*  
*Ground/bond container and receiving equipment.*  
*Use explosion-proof electrical/ventilating/lighting/equipment.*  
*Use only non-sparking tools.*  
*Take precautionary measures against static discharge.*  
*Avoid breathing dust/fume/gas/mist/vapors/spray*  
*Wash thoroughly after handling.*  
*Do not eat, drink or smoke when using this product.*  
*Contaminated work clothing must not be allowed out of the workplace.*

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

**Trade name: 3X Industrial Fragrance**

(Contd. of page 2)

*Wear protective gloves/protective clothing/eye protection/face protection.*

*If swallowed: Immediately call a poison center/doctor.*

*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*IF exposed or concerned: Get medical advice/attention.*

*Specific treatment (see on this label).*

*Rinse mouth.*

*Do NOT induce vomiting.*

*If skin irritation or rash occurs: Get medical advice/attention.*

*Take off contaminated clothing and wash it before reuse.*

*Wash contaminated clothing before reuse.*

*In case of fire: Use for extinction: CO2, powder or water spray.*

*Store in a well-ventilated place. Keep cool.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 2

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

HEALTH	*3
--------	----

Health = \*3

FIRE	2
------	---

Fire = 2

REACTIVITY	0
------------	---

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

119-36-8	METHYL SALICYLATE	10-25%
	⚠ Acute Tox. 4, H302	

(Contd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

Trade name: 3X Industrial Fragrance

(Contd. of page 3)

104-55-2	CINNAMIC ALDEHYDE ⚠ Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335; Eye Irrit. 2B, H320	2.5-10%
98-55-5	TERPINEOL ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	2.5-10%
628-63-7	AMYL ACETATE ⚠ Flam. Liq. 3, H226	2.5-10%
8000-34-8	CLOVE LEAF OIL ⚠ Asp. Tox. 1, H304; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	2.5-10%
8008-57-9	ORANGE OIL ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	2.5-10%
4180-23-8	ANETHOLE ⚠ Skin Sens. 1, H317	2.5-10%
80-56-8	ALPHA-PINENE ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	2.5-10%
78-70-6	LINALOOL ⚠ Skin Irrit. 2, H315; Flam. Liq. 4, H227	2.5-10%
8000-48-4	OIL EUCALYPTUS 80/85 ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	≥1-<2.5%
140-11-4	BENZYL ACETATE ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≥0.1-<2.5%
8000-29-1	CITRONELLA OIL ⚠ Asp. Tox. 1, H304; ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335; Flam. Liq. 4, H227	≥1-<2.5%
68990-83-0	CEDARWOOD OIL TEXAS ⚠ Asp. Tox. 1, H304; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≥0.1-<2.5%
68647-73-4	TEA TREE OIL ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; Flam. Liq. 4, H227	≥0.1-<2.5%
91-64-5	COUMARIN ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ⚠ Skin Sens. 1, H317	≥1-<2.5%
6485-40-1	LAEVO CARVONE ⚠ Skin Sens. 1, H317	≥1-<2.5%

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

**Trade name: 3X Industrial Fragrance**

(Contd. of page 4)

5392-40-5	<b>CITRAL</b> ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Flam. Liq. 4, H227	≥1-<2.5%
89-83-8	<b>THYMOL USP CRYSTALS</b> ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	≥1-<2.5%
8014-09-3	<b>PATCHOULI OIL</b> ⚠ Asp. Tox. 1, H304; Flam. Liq. 4, H227	≥0.1-<2.5%
112-54-9	<b>ALDEHYDE C-12 LAURIC</b> ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	≥0.1-≤1%
81-14-1	<b>MUSK KETONE</b> ⚠ Carc. 2, H351	≥0.1-<2.5%

## 4 First-aid measures

- **Description of first aid measures**

- **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:** Immediately call a doctor.

- **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **For safety reasons unsuitable extinguishing agents:** Water with full jet

- **Special hazards arising from the substance or mixture** No further relevant information available.

- **Advice for firefighters**

- **Protective equipment:** No special measures required.

US

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

**Trade name: 3X Industrial Fragrance**

(Contd. of page 5)

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in tightly sealed containers in a cool, dry place that is well ventilated. Away from heat, spark, and open flame.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

**Trade name: 3X Industrial Fragrance**

(Contd. of page 6)

<b>628-63-7 AMYL ACETATE</b>	
PEL	Long-term value: 525 mg/m <sup>3</sup> , 100 ppm
REL	Long-term value: 525 mg/m <sup>3</sup> , 100 ppm
TLV	Short-term value: 532 mg/m <sup>3</sup> , 100 ppm Long-term value: 266 mg/m <sup>3</sup> , 50 ppm
<b>80-56-8 ALPHA-PINENE</b>	
TLV	Long-term value: 112 mg/m <sup>3</sup> , 20 ppm DSEN
<b>140-11-4 BENZYL ACETATE</b>	
TLV	Long-term value: 61 mg/m <sup>3</sup> , 10 ppm
<b>5392-40-5 CITRAL</b>	
TLV	Long-term value: 32* mg/m <sup>3</sup> , 5* ppm Skin; DSEN; *inhalable fraction + vapor

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 8)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

**Trade name: 3X Industrial Fragrance**

(Contd. of page 7)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Liquid

**Color:** Yellow

· **Odor:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

**Melting point/Melting range:** Undetermined.

**Boiling point/Boiling range:** 149 °C (300.2 °F)

· **Flash point:** 60 °C (140 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 375 °C (707 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Not determined.

· **Explosion limits:**

**Lower:** Not determined.

**Upper:** Not determined.

· **Vapor pressure at 20 °C (68 °F):** 0.1 hPa (0.1 mm Hg)

· **Density at 20 °C (68 °F):** 0.97415 g/cm<sup>3</sup> (8.12928 lbs/gal)

· **Relative density** Not determined.

· **Vapor density** Not determined.

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

Trade name: 3X Industrial Fragrance

(Contd. of page 8)

· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	8.0 %
<b>VOC content:</b>	8.00 %
	77.9 g/l / 0.65 lb/gl
<b>Solids content:</b>	10.5 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**119-36-8 METHYL SALICYLATE**

Oral	LD50	887 mg/kg (rat)
------	------	-----------------

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** Sensitization possible through skin contact.

(Contd. on page 10)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

**Trade name: 3X Industrial Fragrance**

(Contd. of page 9)

· **Additional toxicological information:**

*The product shows the following dangers according to internally approved calculation methods for preparations:*

*Harmful*

*Irritant*

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

140-11-4	BENZYL ACETATE	3
91-64-5	COUMARIN	3

· **NTP (National Toxicology Program)**

*None of the ingredients is listed.*

· **OSHA-Ca (Occupational Safety & Health Administration)**

*None of the ingredients is listed.*

### 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** *No further relevant information available.*

· **Persistence and degradability** *No further relevant information available.*

· **Behavior in environmental systems:**

· **Bioaccumulative potential** *No further relevant information available.*

· **Mobility in soil** *No further relevant information available.*

· **Additional ecological information:**

· **General notes:**

*Water hazard class 3 (Self-assessment): extremely hazardous for water*

*Do not allow product to reach ground water, water course or sewage system, even in small quantities.*

*Must not reach bodies of water or drainage ditch undiluted or unneutralized.*

*Danger to drinking water if even extremely small quantities leak into the ground.*

· **Results of PBT and vPvB assessment**

· **PBT:** *Not applicable.*

· **vPvB:** *Not applicable.*

· **Other adverse effects** *No further relevant information available.*

### 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*

(Contd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

**Trade name: 3X Industrial Fragrance**

(Contd. of page 10)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT</b></li> <li>· <b>IMDG, IATA</b></li> </ul>   | <p style="text-align: right;"><i>not regulated</i></p> <p style="text-align: right;"><i>UN1266</i></p>   |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul>  | <p style="text-align: right;"><i>not regulated</i></p> <p style="text-align: right;"><i>PERFUMERY PRODUCTS, MARINE POLLUTANT</i></p> <p style="text-align: right;"><i>PERFUMERY PRODUCTS</i></p> |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> <li>· <b>Class</b></li> </ul>   | <p style="text-align: right;"><i>not regulated</i></p>   |
| <ul style="list-style-type: none"> <li>· <b>IMDG</b></li> </ul> <div style="display: flex; align-items: center; gap: 10px;">   </div> | <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul> <p style="text-align: right;"><i>3 Flammable liquids</i></p> <p style="text-align: right;"><i>3</i></p> |
| <ul style="list-style-type: none"> <li>· <b>IATA</b></li> </ul> <div style="display: flex; align-items: center; gap: 10px;">  </div>   | <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul> <p style="text-align: right;"><i>3 Flammable liquids</i></p> <p style="text-align: right;"><i>3</i></p> |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT</b></li> <li>· <b>IMDG, IATA</b></li> </ul>   | <p style="text-align: right;"><i>not regulated</i></p> <p style="text-align: right;"><i>III</i></p>  |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>   | <p style="text-align: right;"><i>Yes</i></p> <p style="text-align: right;"><i>Symbol (fish and tree)</i></p>   |
| <ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> </ul>   | <p style="text-align: right;"><i>Warning: Flammable liquids</i></p>  |

(Contd. on page 12)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

**Trade name: 3X Industrial Fragrance**

(Contd. of page 11)

· <b>EMS Number:</b>	F-E,S-D
· <b>Stowage Category</b>	A
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 1266 PERFUMERY PRODUCTS, 3, III, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act) (Substances not listed):**

All ingredients are listed.

· **TSCA new (21st Century Act) (Substances not listed)**

· **Proposition 65**

· **Chemicals known to cause cancer:**

8000-25-7 | ROSEMARY OIL TUNISIA

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

(Contd. on page 13)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

**Trade name: 3X Industrial Fragrance**

(Contd. of page 12)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

80-56-8	ALPHA-PINENE	A4
140-11-4	BENZYL ACETATE	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS05 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

METHYL SALICYLATE  
 CINNAMIC ALDEHYDE  
 CITRONELLA OIL  
 CLOVE LEAF OIL  
 ORANGE OIL  
 ANETHOLE  
 ALPHA-PINENE  
 OIL EUCALYPTUS 80/85  
 COUMARIN  
 LAEVO CARVONE

· **Hazard statements**

Flammable liquid and vapor.  
 Harmful if swallowed.  
 Causes skin irritation.  
 Causes serious eye damage.  
 May cause an allergic skin reaction.  
 Suspected of causing cancer.  
 May be fatal if swallowed and enters airways.

· **Precautionary statements**

Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 14)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

**Trade name: 3X Industrial Fragrance**

(Contd. of page 13)

*Keep container tightly closed.*

*Ground/bond container and receiving equipment.*

*Use explosion-proof electrical/ventilating/lighting/equipment.*

*Use only non-sparking tools.*

*Take precautionary measures against static discharge.*

*Avoid breathing dust/fume/gas/mist/vapors/spray*

*Wash thoroughly after handling.*

*Do not eat, drink or smoke when using this product.*

*Contaminated work clothing must not be allowed out of the workplace.*

*Wear protective gloves/protective clothing/eye protection/face protection.*

*If swallowed: Immediately call a poison center/doctor.*

*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.*

*Continue rinsing.*

*IF exposed or concerned: Get medical advice/attention.*

*Specific treatment (see on this label).*

*Rinse mouth.*

*Do NOT induce vomiting.*

*If skin irritation or rash occurs: Get medical advice/attention.*

*Take off contaminated clothing and wash it before reuse.*

*Wash contaminated clothing before reuse.*

*In case of fire: Use for extinction: CO2, powder or water spray.*

*Store in a well-ventilated place. Keep cool.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

*H226 Flammable liquid and vapor.*

*H227 Combustible liquid.*

*H301 Toxic if swallowed.*

*H302 Harmful if swallowed.*

*H304 May be fatal if swallowed and enters airways.*

*H311 Toxic in contact with skin.*

*H312 Harmful in contact with skin.*

*H314 Causes severe skin burns and eye damage.*

*H315 Causes skin irritation.*

*H317 May cause an allergic skin reaction.*

(Contd. on page 15)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/25/2017

Reviewed on 10/25/2017

**Trade name: 3X Industrial Fragrance**

(Contd. of page 14)

*H318 Causes serious eye damage.**H319 Causes serious eye irritation.**H320 Causes eye irritation.**H331 Toxic if inhaled.**H335 May cause respiratory irritation.**H351 Suspected of causing cancer.*

· **Date of preparation / last revision 10/25/2017 / 1**

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

· **\* Data compared to the previous version altered.**