Printing date 11/12/2018 Reviewed on 11/12/2018

### 1 Identification

- · Product identifier
- · Trade name: Odo-Raser 100 Fragrance
- · Part number: 90-0922, 90-4090, 90-4090RB, 90-4120, 90-4200, 90-0931, 34-8000, 90-8000, 34-9000, 90-9000
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Vaportek, Inc.

W226N6339 Village Drive

Sussex, Wisconsin 53089

USA

800.237.6367

- · Information department: Regulatory Department
- · Emergency telephone number:

Hours of operation: 7:00 AM – 4:00 PM Mon-Fri. (CST)

Domestic North America (262) 246-5060

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling: ORANGE TERPENES (FOOD GRADE) ALPHA PINENE CINNAMIC ALDEHYDE CLOVE OIL

(Contd. on page 2)

Printing date 11/12/2018 Reviewed on 11/12/2018

Trade name: Odo-Raser 100 Fragrance

(Contd. of page 1)

ANETHOLE CITRONELLA OIL EUCALYPTUS OIL COUMARIN ORANGE OIL

#### · Hazard statements

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eve irritation.

May cause an allergic skin reaction.

May be fatal if swallowed and enters airways.

### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

*In case of fire: Use for extinction: CO2, powder or water spray.* 

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 2Reactivity = 0

### · HMIS-ratings (scale 0 - 4)

HEALTH *2	Health = *2
	Fire = 2
REACTIVITY 0	Reactivity = 0

(Contd. on page 3)

Printing date 11/12/2018 Reviewed on 11/12/2018

Trade name: Odo-Raser 100 Fragrance

(Contd. of page 2)

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

_	s components:	
98-55-5	TERPINEOL ALPHA	>10-≤25%
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227	
119-36-8	METHYL SALICYLATE	>10-≤25%
	♠ Acute Tox. 4, H302	
5989-27-5	ORANGE TERPENES (FOOD GRADE)	>10-≤25%
	🔷 Flam. Liq. 3, H226; 🗘 Skin Irrit. 2, H315; Skin Sens. 1, H317	
104-55-2	CINNAMIC ALDEHYDE	>2.5-<10
	Acute Tox. 3, H311; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
80-56-8	ALPHA PINENE	>2.5-<10
	♠ Flam. Liq. 3, H226; ♠ Asp. Tox. 1, H304; ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317	
78-70-6	LINALOOL	>2.5-<10
	🕏 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227	
8000-34-8	CLOVE OIL	>2.5-<10
	♦ Asp. Tox. 1, H304; ♦ Eye Irrit. 2A, H319; Skin Sens. 1, H317	
125-12-2	ISOBORNYL ACETATE	>2.5–≤10
	Flam. Liq. 4, H227	
4180-23-8	ANETHOLE	>2.5-≤10
	♦ Skin Sens. 1, H317	==
628-63-7	PENTYL ACETATE	>2.5-≤10
	🔷 Flam. Liq. 3, H226	
624-41-9	2-METHYL BUTYL ACETATE	>2.5-≤10
	🔷 Flam. Liq. 3, H226	
8000-29-1	CITRONELLA OIL	≥1-≤2.5%
	♠ Asp. Tox. 1, H304; ♠ Eye Dam. 1, H318; ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Flam. Liq. 4, H227	
8000-48-4	EUCALYPTUS OIL	≥1-≤2.5%
	♠ Flam. Liq. 3, H226; ♠ Asp. Tox. 1, H304; ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317	
91-64-5	COUMARIN	≥1-≤2.5%
	Acute Tox. 3, H301; 🗘 Skin Sens. 1, H317	
140-11-4	BENZYL ACETATE	<b>≤</b> 2.5%
8008-57-9	ORANGE OIL	≥0.1-<1%
	♠ Flam. Liq. 3, H226; ♠ Asp. Tox. 1, H304; ♠ Skin Irrit. 2, H315; Skin Sens. 1, H317	

Printing date 11/12/2018 Reviewed on 11/12/2018

Trade name: Odo-Raser 100 Fragrance

(Contd. of page 3)

#### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

• PAC-1:		
119-36-8	METHYL SALICYLATE	2.3 ppm
5989-27-5	ORANGE TERPENES (FOOD GRADE)	15 ppm
628-63-7	PENTYL ACETATE	100 ppm
91-64-5	COUMARIN	$0.88 \ mg/m^3$
140-11-4	BENZYL ACETATE	30 ppm
89-83-8	THYMOL CRYSTALS	$2.9 \ mg/m^3$
99-87-6	PARACYMENE	$120 \text{ mg/m}^3$

(Contd. on page 5)

Printing date 11/12/2018 Reviewed on 11/12/2018

Trade name: Odo-Raser 100 Fragrance

120 51 4 DENZVI DENZOATE	(Contd. of pag
120-51-4 BENZYL BENZOATE	5.7 mg/m
· PAC-2:	
119-36-8 METHYL SALICYLATE	25 ppm
5989-27-5 ORANGE TERPENES (FOOD GRADE)	67 ppm
628-63-7 PENTYL ACETATE	670 ppm
91-64-5 COUMARIN	$9.7 \ mg/m^3$
140-11-4 BENZYL ACETATE	330 ppm
89-83-8 THYMOL CRYSTALS	32 mg/m³
99-87-6 PARACYMENE	1,300 mg/r
120-51-4 BENZYL BENZOATE	63 mg/m³
· PAC-3:	
119-36-8 METHYL SALICYLATE	150 ppm
5989-27-5 ORANGE TERPENES (FOOD GRADE)	170 ppm
628-63-7 PENTYL ACETATE	4000* ppn
91-64-5 COUMARIN	58 mg/m³
140-11-4 BENZYL ACETATE	2,000 ppm
89-83-8 THYMOL CRYSTALS	190 mg/m <sup>3</sup>
99-87-6 PARACYMENE	1,900 mg/r
120-51-4 BENZYL BENZOATE	380 mg/m <sup>3</sup>

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a tightly sealed containers in a cool, dry place that is well ventilated. Away from heat, spark, and open flame

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 6)

Printing date 11/12/2018 Reviewed on 11/12/2018

Trade name: Odo-Raser 100 Fragrance

(Contd. of page 5)

### · Control parameters

• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·				
· Comp	· Components with limit values that require monitoring at the workplace:				
80-56	80-56-8 ALPHA PINENE				
	Long-term value: 112 mg/m³, 20 ppm DSEN				
628-6	3-7 PENTYL ACETATE				
PEL	Long-term value: 525 mg/m³, 100 ppm				
REL	Long-term value: 525 mg/m³, 100 ppm				
	Short-term value: 532 mg/m³, 100 ppm Long-term value: 266 mg/m³, 50 ppm				
624-4	11-9 2-METHYL BUTYL ACETATE				
	Short-term value: 532 mg/m³, 100 ppm Long-term value: 266 mg/m³, 50 ppm				
140-1	1-4 BENZYL ACETATE				
TLV	Long-term value: 61 mg/m³, 10 ppm				

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

Printing date 11/12/2018 Reviewed on 11/12/2018

Trade name: Odo-Raser 100 Fragrance

· Eye protection:

(Contd. of page 6)



Tightly sealed goggles

Information on basic physical and ci General Information Appearance:	• •	
Annearance:		
**		
Form:	Liquid	
Color:	Yellow	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	149.3 °C (300.7 °F)	
Flash point:	55.6 °C (132.1 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	255 °C (491 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	0.7 Vol %	
Upper:	6.1 Vol %	
Vapor pressure at 20 °C (68 °F):	2.3 hPa (1.7 mm Hg)	
Density at 20 °C (68 °F):	$0.96476 \ g/cm^3 \ (8.05092 \ lbs/gal)$	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:	17.00/	
Organic solvents:	17.3 %	
VOC content:	17.32 % 167.1 g/l / 1.39 lb/gal	

(Contd. on page 8)

Printing date 11/12/2018 Reviewed on 11/12/2018

Trade name: Odo-Raser 100 Fragrance

(Contd. of page 7)

Solids content: 6.7 %

• Other information No further relevant information available.

### 10 Stability and reactivity

- $\cdot \textit{Reactivity} \ \textit{No further relevant information available}.$
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11	<b>7</b> • 1	, , ,		, •
,,,	Toyical	กดากสโ	าทรก	rmation
11	IUNICUI	ozicui	uitjo	iiiuuioii

- · Information on toxicological effects
- · Acute toxicity:

· Acute to				
· LD/LC50 values that are relevant for classification:				
ATE (Acute Toxicity Estimate)				
Oral	LD50	2,686 mg/kg (rat)		
Dermal	LD50	3,039 mg/kg		
		INEOL ALPHA		
Oral	LD50	4,300 mg/kg (rat)		
119-36-	8 MET	HYL SALICYLATE		
Oral	LD50	887 mg/kg (rat)		
5989-27	7-5 OR	ANGE TERPENES (FOOD GRADE)		
Oral	LD50	4,400 mg/kg (rat)		
104-55-2	2 CINN	NAMIC ALDEHYDE		
Oral	LD50	2,220 mg/kg (rat)		
78-70-6	LINAI	LOOL		
Oral	LD50	2,790 mg/kg (rat)		
Dermal	LD50	5,610 mg/kg (rabbit)		
125-12-2	2 ISOB	ORNYL ACETATE		
Oral	LD50	10,000 mg/kg (rat)		
Dermal	LD50	20,000 mg/kg (rabbit)		
628-63-	7 PEN	TYL ACETATE		
Oral	LD50	6,500 mg/kg (rat)		
91-64-5	COUN	ARIN		
Oral	LD50	293 mg/kg (rat)		
140-11-	4 BEN	ZYL ACETATE		
Oral	LD50	2,490 mg/kg (rat)		
Dermal	LD50	>5,000 mg/kg (rabbit)		
		(Contd. on page		

— US

Printing date 11/12/2018 Reviewed on 11/12/2018

Trade name: Odo-Raser 100 Fragrance

(Contd. of page 8)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)				
5989-27-5	ORANGE TERPENES (FOOD GRADE)	3		
91-64-5	COUMARIN	3		
140-11-4	BENZYL ACETATE	3		
· NTP (National Toxicology Program)				
None of the ingredients is listed.				
· OSHA-Ca (Occupational Safety & Health Administration)				
None of the ingredients is listed.				

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

110

Printing date 11/12/2018 Reviewed on 11/12/2018

Trade name: Odo-Raser 100 Fragrance

(Contd. of page 9)

Transport information	
· UN-Number	
· DOT	not regulated
· IMDG, IATA	UN1266
· UN proper shipping name	
· DOT	not regulated
· IMDG	PERFUMERY PRODUCTS (METHYL SALICYLATE
· IATA	DIPENTENE), MARINE POLLUTANT PERFUMERY PRODUCTS
· Transport hazard class(es)	TEM UMERI I RODUCIS
•	
· DOT	
· Class	not regulated
· IMDG	
· Class	3 Flammable liquids
· Label	3
· IATA	
3	
· Class · Label	3 Flammable liquids 3
· Packing group	
·DOT	not regulated
· IMDG, IATA	III
· Environmental hazards:	Product contains environmentally hazardous substances: ORANG
. Marina nallutant	TERPENES (FOOD GRADE), ALPHA PINENE Yes (DOT)
· Marine pollutant:	Symbol (fish and tree)
Special propagations for year	
· Special precautions for user · Danger code (Kemler):	Warning: Flammable liquids 30
· Bunger code (Kemier). · EMS Number:	F-E,S-D
· Stowage Category	A
· Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.
· Transport/Additional information:	
· IMDG	
· Limited quantities (LQ)	5L
· · · · · · · · · · · · · · · · · · ·	(Contd. on page 1

Printing date 11/12/2018 Reviewed on 11/12/2018

Trade name: Odo-Raser 100 Fragrance

	(Contd. of page 10)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 1266 PERFUMERY PRODUCTS, 3, III, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

123-35-3 MYRCENE

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

80-56-8	ALPHA PINENE	A4
140-11-4	BENZYL ACETATE	A4

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- $\cdot \textit{GHS label elements} \ \textit{The product is classified and labeled according to the Globally Harmonized System (GHS)}.$
- · Hazard pictograms







GHS02

2 GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling: ORANGE TERPENES (FOOD GRADE)

(Contd. on page 12)

Printing date 11/12/2018 Reviewed on 11/12/2018

Trade name: Odo-Raser 100 Fragrance

(Contd. of page 11)

ALPHA PINENE
CINNAMIC ALDEHYDE
CLOVE OIL
ANETHOLE
CITRONELLA OIL
EUCALYPTUS OIL
COUMARIN
ORANGE OIL

### · Hazard statements

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May be fatal if swallowed and enters airways.

### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

 $Use\ explosion-proof\ electrical/ventilating/lighting/equipment.$ 

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

*In case of fire: Use for extinction: CO2, powder or water spray.* 

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Regulatory Department
- · Date of preparation / last revision 11/12/2018 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 13)

Printing date 11/12/2018 Reviewed on 11/12/2018

### Trade name: Odo-Raser 100 Fragrance

(Contd. of page 12)

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids - Category 3

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Asp. Tox. 1: Aspiration hazard - Category 1

\* Data compared to the previous version altered.

- IIC