

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

1 Identification

Product identifier

- **Trade name:** Odo-Raser 300 Fragrance
- **Part number:** 80-0977
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Vaportek, Inc.
W226N6339 Village Drive
Sussex, Wisconsin 53089
USA
800.237.6367
- **Information department: Regulatory Department**
- **Emergency telephone number:**
Hours of operation: 7:00 AM – 4:00 PM Mon-Fri. (CST)
- **Domestic North America (262) 246-5060**

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS07



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

ORANGE TERPENES

ALPHA PINENE

CINNAMIC ALDEHYDE

CLOVE OIL

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

Trade name: Odo-Raser 300 Fragrance

(Contd. of page 1)

ANETHOLE
CITRONELLA OIL
EUCALYPTUS OIL
COUMARIN

· **Hazard statements**


Flammable liquid and vapor.
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
May be fatal if swallowed and enters airways.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use for extinction: CO₂, powder or water spray.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2
Fire = 2
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

HEALTH	2
FIRE	2
REACTIVITY	0

Health = *2
Fire = 2
Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

Trade name: **Odo-Raser 300 Fragrance**

(Contd. of page 2)

· **vPvB**: Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

5989-27-5	ORANGE TERPENES ⚠ Flam. Liq. 3, H226; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	>10–≤25%
98-55-5	TERPINEOL ALPHA ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227	>10–≤25%
119-36-8	METHYL SALICYLATE ⚠ Acute Tox. 4, H302	>10–≤25%
104-55-2	CINNAMIC ALDEHYDE ⚠ Acute Tox. 3, H311; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	>2.5–<10%
80-56-8	ALPHA PINENE ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	>2.5–<10%
78-70-6	LINALOOL ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227	>2.5–<10%
8000-34-8	CLOVE OIL ⚠ Asp. Tox. 1, H304; ⚠ Eye Irrit. 2A, H319; Skin Sens. 1, H317	>2.5–<10%
125-12-2	ISOBORNYL ACETATE Flam. Liq. 4, H227	>2.5–≤10%
628-63-7	PENTYL ACETATE ⚠ Flam. Liq. 3, H226	>2.5–≤10%
624-41-9	2-METHYL BUTYL ACETATE ⚠ Flam. Liq. 3, H226	>2.5–≤10%
4180-23-8	ANETHOLE ⚠ Skin Sens. 1, H317	>2.5–≤10%
8000-29-1	CITRONELLA OIL ⚠ Asp. Tox. 1, H304; ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Flam. Liq. 4, H227	≥1–≤2.5%
8000-48-4	EUCALYPTUS OIL ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	≥1–≤2.5%
91-64-5	COUMARIN ⚠ Acute Tox. 3, H301; ⚠ Skin Sens. 1, H317	≥1–≤2.5%
140-11-4	BENZYL ACETATE	≤2.5%
120-51-4	BENZYL BENZOATE ⚠ Acute Tox. 4, H302	≤2.5%

4 First-aid measures

· **Description of first aid measures**· **General information:** Immediately remove any clothing soiled by the product.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

Trade name: Odo-Raser 300 Fragrance

(Contd. of page 3)

- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

5989-27-5	ORANGE TERPENES	15 ppm
119-36-8	METHYL SALICYLATE	2.3 ppm
628-63-7	PENTYL ACETATE	100 ppm
91-64-5	COUMARIN	0.88 mg/m ³
140-11-4	BENZYL ACETATE	30 ppm
120-51-4	BENZYL BENZOATE	5.7 mg/m ³
89-83-8	THYMOL CRYSTALS	2.9 mg/m ³
99-87-6	PARACYMENE	120 mg/m ³

· PAC-2:

5989-27-5	ORANGE TERPENES	67 ppm
119-36-8	METHYL SALICYLATE	25 ppm

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

Trade name: Odo-Raser 300 Fragrance

(Contd. of page 4)

628-63-7	PENTYL ACETATE	670 ppm
91-64-5	COUMARIN	9.7 mg/m ³
140-11-4	BENZYL ACETATE	330 ppm
120-51-4	BENZYL BENZOATE	63 mg/m ³
89-83-8	THYMOL CRYSTALS	32 mg/m ³
99-87-6	PARACYMENE	1,300 mg/m ³

· PAC-3:

5989-27-5	ORANGE TERPENES	170 ppm
119-36-8	METHYL SALICYLATE	150 ppm
628-63-7	PENTYL ACETATE	4000* ppm
91-64-5	COUMARIN	58 mg/m ³
140-11-4	BENZYL ACETATE	2,000 ppm
120-51-4	BENZYL BENZOATE	380 mg/m ³
89-83-8	THYMOL CRYSTALS	190 mg/m ³
99-87-6	PARACYMENE	1,900 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Store in a tightly sealed containers in a cool, dry place that is well ventilated. Away from heat, spark, and open flame.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

80-56-8 ALPHA PINENE

TLV Long-term value: 112 mg/m³, 20 ppm

DSEN

628-63-7 PENTYL ACETATE

PEL Long-term value: 525 mg/m³, 100 ppm

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

Trade name: Odo-Raser 300 Fragrance

(Contd. of page 5)

REL	Long-term value: 525 mg/m ³ , 100 ppm
TLV	Short-term value: 532 mg/m ³ , 100 ppm Long-term value: 266 mg/m ³ , 50 ppm
624-41-9 2-METHYL BUTYL ACETATE	
TLV	Short-term value: 532 mg/m ³ , 100 ppm Long-term value: 266 mg/m ³ , 50 ppm
140-11-4 BENZYL ACETATE	
TLV	Long-term value: 61 mg/m ³ , 10 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

Trade name: Odo-Raser 300 Fragrance

(Contd. of page 6)

Color:	Dark orange color
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	149.3 °C (300.7 °F)
· Flash point:	54.4 °C (129.9 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	255 °C (491 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	0.7 Vol %
Upper:	6.1 Vol %
· Vapor pressure at 20 °C (68 °F):	2.3 hPa (1.7 mm Hg)
· Density at 20 °C (68 °F):	0.95215 g/cm ³ (7.94569 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	24.2 %
VOC content:	24.20 %
	230.4 g/l / 1.92 lb/gal
Solids content:	6.4 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

Trade name: Odo-Raser 300 Fragrance

(Contd. of page 7)

· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	2,602 mg/kg (rat)
------	------	-------------------

Dermal	LD50	3,125 mg/kg
--------	------	-------------

5989-27-5 ORANGE TERPENES

Oral	LD50	4,400 mg/kg (rat)
------	------	-------------------

98-55-5 TERPINEOL ALPHA

Oral	LD50	4,300 mg/kg (rat)
------	------	-------------------

119-36-8 METHYL SALICYLATE

Oral	LD50	887 mg/kg (rat)
------	------	-----------------

104-55-2 CINNAMIC ALDEHYDE

Oral	LD50	2,220 mg/kg (rat)
------	------	-------------------

78-70-6 LINALOOL

Oral	LD50	2,790 mg/kg (rat)
------	------	-------------------

Dermal	LD50	5,610 mg/kg (rabbit)
--------	------	----------------------

125-12-2 ISOBORNYL ACETATE

Oral	LD50	10,000 mg/kg (rat)
------	------	--------------------

Dermal	LD50	20,000 mg/kg (rabbit)
--------	------	-----------------------

628-63-7 PENTYL ACETATE

Oral	LD50	6,500 mg/kg (rat)
------	------	-------------------

91-64-5 COUMARIN

Oral	LD50	293 mg/kg (rat)
------	------	-----------------

140-11-4 BENZYL ACETATE

Oral	LD50	2,490 mg/kg (rat)
------	------	-------------------

Dermal	LD50	>5,000 mg/kg (rabbit)
--------	------	-----------------------

120-51-4 BENZYL BENZOATE

Oral	LD50	1,700 mg/kg (rat)
------	------	-------------------

Dermal	LD50	4,000 mg/kg (rabbit)
--------	------	----------------------

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

Trade name: **Odo-Raser 300 Fragrance**

(Contd. of page 8)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

5989-27-5	ORANGE TERPENES	3
91-64-5	COUMARIN	3
140-11-4	BENZYL ACETATE	3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

- **DOT** not regulated
- **IMDG, IATA** UN1266

· **UN proper shipping name**

- **DOT** not regulated
- **IMDG** PERFUMERY PRODUCTS (DIPENTENE, METHYL SALICYLATE), MARINE POLLUTANT

(Contd. on page 10)

Safety Data Sheet



acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

Trade name: **Odo-Raser 300 Fragrance**

(Contd. of page 9)

· IATA	PERFUMERY PRODUCTS
· Transport hazard class(es)	
· DOT	
· Class	not regulated
· IMDG	
	
· Class	3 Flammable liquids
· Label	3
· IATA	
	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT	not regulated
· IMDG, IATA	III
· Environmental hazards:	Product contains environmentally hazardous substances: ORANGE TERPENES, ALPHA PINENE
· Marine pollutant:	Yes (DOT) Symbol (fish and tree)
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	30
· EMS Number:	F-E,S-D
· Stowage Category	A
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1266 PERFUMERY PRODUCTS, 3, III, ENVIRONMENTALLY HAZARDOUS

US

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

Trade name: **Odo-Raser 300 Fragrance**

(Contd. of page 10)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

123-35-3 MYRCENE

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

80-56-8 ALPHA PINENE

A4

140-11-4 BENZYL ACETATE

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02

GHS07

GHS08

- Signal word *Danger*

· Hazard-determining components of labeling:

ORANGE TERPENES

ALPHA PINENE

CINNAMIC ALDEHYDE

CLOVE OIL

ANETHOLE

CITRONELLA OIL

EUCALYPTUS OIL

COUMARIN

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

Trade name: Odo-Raser 300 Fragrance

(Contd. of page 11)

· **Hazard statements**

Flammable liquid and vapor.
 Causes skin irritation.
 Causes serious eye irritation.
 May cause an allergic skin reaction.
 May be fatal if swallowed and enters airways.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.
 Keep out of reach of children.
 Read label before use.
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Keep container tightly closed.
 Ground/bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Wash thoroughly after handling.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Immediately call a poison center/doctor.
 Specific treatment (see on this label).
 Do NOT induce vomiting.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 Take off contaminated clothing and wash it before reuse.
 If skin irritation or rash occurs: Get medical advice/attention.
 If eye irritation persists: Get medical advice/attention.
 Wash contaminated clothing before reuse.
 In case of fire: Use for extinction: CO₂, powder or water spray.
 Store in a well-ventilated place. Keep cool.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Regulatory Department

· **Date of preparation / last revision** 01/11/2019 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent

(Contd. on page 13)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/11/2019

Reviewed on 01/11/2019

Trade name: Odo-Raser 300 Fragrance

(Contd. of page 12)

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 3: Flammable liquids – Category 3
Flam. Liq. 4: Flammable liquids – Category 4
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
Asp. Tox. 1: Aspiration hazard – Category 1
*** Data compared to the previous version altered.**

US