

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/07/2025

Reviewed on 02/07/2025

1 Identification

- **Product identifier**
- **Trade name:** *3X Industrial Fragrance*
- **Part numbers:** *34-7625A, 90-0926, 90-0926/4, 90-0953, 90-0953/5, 90-2202, 90-2205, 90-5150*
- **Manufacturer/Supplier:**
Vaportek, Inc
W226N6339 Village Drive
Sussex, Wisconsin 53089 USA
- **Information department:** *Regulatory Department*
- **Emergency telephone number:**
800.237.6367
262.246.5060
Chemtrec Primary Phone Numbers
Toll Free: 1-800-424-9300
Local: +1-703-527-3887
Vaportek CHEMTREC
Customer Number (CNN): P1020146

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable liquids 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.
Reproductive toxicity 2 H361 Suspected of damaging fertility or the unborn child.
Aspiration hazard 1 H304 May be fatal if swallowed and enters airways.



GHS05 Corrosion

Eye damage 1 H318 Causes serious eye damage.



GHS07

Skin irritation 2 H315 Causes skin irritation.
Sensitization - skin 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
- **Hazard pictograms**



GHS02



GHS05



GHS07



GHS08

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/07/2025

Reviewed on 02/07/2025

Trade name: 3X Industrial Fragrance

(Contd. of page 1)

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

cinnamic aldehyde

Methyl salicylate

CITRONELLA OIL

CLOVE OIL

ANETHOLE

L-ALPHA PINENE

ORANGE OIL

EUCALYPTUS OIL

TEA TREE OIL

COUMARIN

Citral

LAEVO CARVONE

ALDEHYDE C-12 LAURIC

dipentene

Linalool

· **Hazard statements**

Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

May be fatal if swallowed and enters airways.

· **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground / bond container and receiving equipment.

Use explosion-proof [electrical/ventilating/lighting] equipment.

Use non-sparking tools.

Take action to prevent static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

In case of fire: Use CO₂, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/07/2025

Reviewed on 02/07/2025

Trade name: 3X Industrial Fragrance

(Contd. of page 2)

· **Information pertaining to particular dangers for man and environment:**

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

119-36-8	Methyl salicylate ⚠ Reproductive toxicity 2, H361; ⚠ Acute toxicity - oral 4, H302; Sensitization - skin 1B, H317	>10-≤25%
98-55-5	TERPINEOL ALPHA ⚠ Skin irritation 2, H315; Eye irritation 2A, H319; Flammable liquids 4, H227	>10-≤25%
104-55-2	cinnamic aldehyde ⚠ Sensitization - skin 1A, H317	>2.5-≤10%
123-92-2	AMYL ACETATE ⚠ Flammable liquids 3, H226	>2.5-≤10%
8000-34-8	CLOVE OIL ⚠ Aspiration hazard 1, H304; ⚠ Eye irritation 2A, H319; Sensitization - skin 1, H317	>2.5-<10%
125-12-2	ISOBORNYL ACETATE Flammable liquids 4, H227	>2.5-≤10%
4180-23-8	ANETHOLE ⚠ Sensitization - skin 1, H317	>2.5-≤10%
7785-26-4	L-ALPHA PINENE ⚠ Flammable liquids 3, H226; ⚠ Aspiration hazard 1, H304; ⚠ Skin irritation 2, H315; Sensitization - skin 1, H317	>2.5-<10%
8008-57-9	ORANGE OIL ⚠ Flammable liquids 3, H226; ⚠ Aspiration hazard 1, H304; ⚠ Skin irritation 2, H315; Sensitization - skin 1, H317	>2.5-<10%

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/07/2025

Reviewed on 02/07/2025

Trade name: 3X Industrial Fragrance

		(Contd. of page 3)
78-70-6	Linalool ⚠ Sensitization - skin 1B, H317; Flammable liquids 4, H227	>2.5-≤10%
140-11-4	BENZYL ACETATE	≤2.5%
8000-29-1	CITRONELLA OIL ⚠ Aspiration hazard 1, H304; ⚠ Eye damage 1, H318; ⚠ Skin irritation 2, H315; Sensitization - skin 1, H317; Flammable liquids 4, H227	≥1-≤2.5%
8000-48-4	EUCALYPTUS OIL ⚠ Flammable liquids 3, H226; ⚠ Aspiration hazard 1, H304; ⚠ Skin irritation 2, H315; Sensitization - skin 1, H317	≥1-≤2.5%
68647-73-4	TEA TREE OIL ⚠ Flammable liquids 3, H226; ⚠ Aspiration hazard 1, H304; ⚠ Acute toxicity - oral 4, H302; Skin irritation 2, H315; Eye irritation 2A, H319; Sensitization - skin 1, H317	≥1-≤2.5%
68990-83-0	CEDARWOOD OIL TEXAS ⚠ Aspiration hazard 1, H304	≤2.5%
91-64-5	COUMARIN ⚠ Acute toxicity - oral 3, H301; ⚠ Sensitization - skin 1, H317	≥1-≤2.5%
5392-40-5	Citral ⚠ Skin irritation 2, H315; Sensitization - skin 1, H317	≥1-≤2.5%
6485-40-1	LAEVO CARVONE ⚠ Acute toxicity - oral 4, H302; Sensitization - skin 1, H317; Flammable liquids 4, H227	≥1-≤2.5%
89-83-8	THYMOL CRYSTALS ⚠ Skin corrosion 1B, H314; ⚠ Acute toxicity - oral 4, H302	≥1-≤2.5%
8014-09-3	PATCHOULY OIL ⚠ Aspiration hazard 1, H304	≤2.5%
112-54-9	ALDEHYDE C-12 LAURIC ⚠ Skin irritation 2, H315; Eye irritation 2A, H319; Sensitization - skin 1, H317	≥0.1-<1%
138-86-3	dipentene ⚠ Flammable liquids 3, H226; ⚠ Skin irritation 2, H315; Sensitization - skin 1, H317	≥0.1-<1%
81-14-1	MUSK KETONE ⚠ Carcinogenicity 2, H351	≥0.1-≤2.5%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

US

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/07/2025

Reviewed on 02/07/2025

Trade name: 3X Industrial Fragrance

(Contd. of page 4)

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

119-36-8	Methyl salicylate	2.3 ppm
123-92-2	AMYL ACETATE	100 ppm
140-11-4	BENZYL ACETATE	30 ppm
91-64-5	COUMARIN	0.88 mg/m ³
89-83-8	THYMOL CRYSTALS	2.9 mg/m ³

· **PAC-2:**

119-36-8	Methyl salicylate	25 ppm
123-92-2	AMYL ACETATE	500 ppm
140-11-4	BENZYL ACETATE	330 ppm
91-64-5	COUMARIN	9.7 mg/m ³
89-83-8	THYMOL CRYSTALS	32 mg/m ³

· **PAC-3:**

119-36-8	Methyl salicylate	150 ppm
123-92-2	AMYL ACETATE	3000* ppm
140-11-4	BENZYL ACETATE	2,000 ppm
91-64-5	COUMARIN	58 mg/m ³
89-83-8	THYMOL CRYSTALS	190 mg/m ³

· **Reference to other sections**

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/07/2025

Reviewed on 02/07/2025

Trade name: 3X Industrial Fragrance

(Contd. of page 5)

7 Handling and storage

- **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Store in a tightly sealed containers in a cool, dry place that is well ventilated. Away from heat, spark, and open flame.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:** Keep receptacle tightly sealed.

- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

123-92-2 AMYL ACETATE

PEL	Long-term value: 525 mg/m ³ , 100 ppm
REL	Long-term value: 525 mg/m ³ , 100 ppm
TLV	Short-term value: 100 ppm Long-term value: 50 ppm

140-11-4 BENZYL ACETATE

TLV	Long-term value: 10 ppm
-----	-------------------------

A4

5392-40-5 Citral

TLV	Long-term value: 5* ppm
-----	-------------------------

Skin; DSEN; *inh. fraction + vapor, A4

138-86-3 dipentene

WEEL	Long-term value: 30 ppm
------	-------------------------

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/07/2025

Reviewed on 02/07/2025

Trade name: 3X Industrial Fragrance

(Contd. of page 6)

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

* 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Color:**

Clear yellow to dark orange

· **Odor:**

Characteristic

· **Odor threshold:**

Not determined.

· **Melting point/Melting range:**

Undetermined.

· **Boiling point/Boiling range:**

Undetermined.

· **Flammability:**

Flammable.

· **Explosion limits:**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

60 °C (140 °F)

· **Auto igniting:**

450 °C (842 °F)

· **Decomposition temperature:**

Not determined.

· **pH-value:**

Not determined.

· **Viscosity:**

· **Kinematic:**

Not determined.

· **Dynamic:**

Not determined.

· **Solubility in / Miscibility with**

· **Water:**

Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):**

Not determined.

· **Vapor pressure at 20 °C (68 °F):**

0.1 hPa

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/07/2025

Reviewed on 02/07/2025

Trade name: 3X Industrial Fragrance

(Contd. of page 7)

- **Vapor pressure:**
- **Density at 20 °C (68 °F):** 0.96996 g/cm³ (8.09432 lbs/gal)
- **Relative density** Not determined.
- **Vapor density** Not determined.
- **Particle characteristics** Not applicable.

- **Other information**
- **Appearance:**
- **Form:** Liquid
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting.
- **Danger of explosion:** Not determined.
- **Solvent content:**
- **Organic solvents:** 8.6 %
- **VOC content:** 8.62 %
- **Solids content:** 83.6 g/l / 0.70 lb/gal
- **Change in condition** 10.5 %
- **Evaporation rate** Not determined.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

* 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	3,341 mg/kg
------	------	-------------

119-36-8 Methyl salicylate

Oral	LD50	887 mg/kg (rat)
	LD50	mg/kg (rat)

98-55-5 TERPINEOL ALPHA

Oral	LD50	4,300 mg/kg (rat)
------	------	-------------------

104-55-2 cinnamic aldehyde

Oral	LD50	2,220 mg/kg (rat)
------	------	-------------------

123-92-2 AMYL ACETATE

Oral	LD50	16,000 mg/kg (rat)
------	------	--------------------

(Contd. on page 9)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/07/2025

Reviewed on 02/07/2025

Trade name: 3X Industrial Fragrance

(Contd. of page 8)

125-12-2 ISOBORNYL ACETATE

Oral LD50 10,000 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

7785-26-4 L-ALPHA PINENE

Oral LD50 3,700 mg/kg (rat)

78-70-6 Linalool

Oral LD50 2,790 mg/kg (rat)

Dermal LD50 5,610 mg/kg (rabbit)

140-11-4 BENZYL ACETATE

Oral LD50 2,490 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rabbit)

91-64-5 COUMARIN

Oral LD50 293 mg/kg (rat)

5392-40-5 Citral

Oral LD50 4,960 mg/kg (rat)

6485-40-1 LAEVO CARVONE

Oral LD50 1,640 mg/kg (rat)

89-83-8 THYMOL CRYSTALS

Oral LD50 980 mg/kg (rat)

112-54-9 ALDEHYDE C-12 LAURIC

Oral LD50 23,000 mg/kg (rat)

· **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Interactive effects** No interactive effects between components are known.

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

140-11-4 BENZYL ACETATE

3

91-64-5 COUMARIN

3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Alternative sources for toxicological information**

No non-standard sources for toxicological information where used.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/07/2025

Reviewed on 02/07/2025

Trade name: 3X Industrial Fragrance



(Contd. of page 9)

- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*

14 Transport information

- **UN-Number**
 - **DOT** *not regulated*
 - **IMDG, IATA** *UN1266*
-
- **UN proper shipping name**
 - **DOT** *not regulated*
 - **IMDG** *PERFUMERY PRODUCTS, MARINE POLLUTANT*
 - **IATA** *PERFUMERY PRODUCTS*
-
- **Transport hazard class(es)**
 - **DOT**
 - **Class** *not regulated*
-
- **IMDG**
 - 
 - **Class** *3 Flammable liquids*
 - **Label** *3*
-
- **IATA**
 - 
 - **Class** *3 Flammable liquids*
 - **Label** *3*

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/07/2025

Reviewed on 02/07/2025

Trade name: 3X Industrial Fragrance

(Contd. of page 10)

· Packing group	
· DOT	not regulated
· IMDG, IATA	III
· Environmental hazards:	Product contains environmentally hazardous substances: ALPHA PINENE
· Marine pollutant:	Yes (DOT) Symbol (fish and tree)
· Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code):	30
· EMS Number:	F-E,S-D
· Stowage Category	A
· UN "Model Regulation":	UN 1266 PERFUMERY PRODUCTS, 3, III, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):** All substances are active or exempt.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

(Contd. on page 12)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/07/2025

Reviewed on 02/07/2025

Trade name: 3X Industrial Fragrance

(Contd. of page 11)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

140-11-4 BENZYL ACETATE

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Regulatory Department

· **Contact:** info@vaportek.com

· **Date of previous version** 01/16/2025

· **Date of preparation** 02/07/2025

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable liquids 3: Flammable liquids – Category 3

Flammable liquids 4: Flammable liquids – Category 4

Acute toxicity - oral 3: Acute toxicity – Category 3

Acute toxicity - oral 4: Acute toxicity – Category 4

Skin corrosion 1B: Skin corrosion/irritation – Category 1B

Skin irritation 2: Skin corrosion/irritation – Category 2

Eye damage 1: Serious eye damage/eye irritation – Category 1

Eye irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - skin 1: Skin sensitisation – Category 1

Sensitization - skin 1A: Skin sensitisation – Category 1A

Sensitization - skin 1B: Skin sensitisation – Category 1B

Carcinogenicity 2: Carcinogenicity – Category 2

Reproductive toxicity 2: Reproductive toxicity – Category 2

Aspiration hazard 1: Aspiration hazard – Category 1

· *** Data compared to the previous version altered.**